



BOOST/VACUUM

v20190409

Installation Instructions


Boost/Vacuum: SG71210 Diesel Boost: SG71212 2 inch-52mm

Important notes before installing:

- Installing this product to your vehicle may require an adaptor. SAAS make a large range of adaptors and installation parts, please check with your SAAS dealer for available adaptors.
- SAAS Autoline series gauges are designed for 12volt systems ONLY!
- All installation work should be done by a qualified professional to avoid damage to this product.
- SAAS **RECOMMENDS** all products be tested prior to installation. This will save time and speed up the troubleshooting process if you encounter any issues.

Wiring Guide:

Wire colour	Wire Function	Wire Connection Location
Red	Illumination 12V+ (NOT adjustable)	Park light circuit (do NOT connect to a dimmer)
Black	Ground 12V-	Vehicle body



Mounting studs for U bracket. Fitting U bracket: Fit supplied stud spacers to threads before using the supplied U bracket.

GAUGE INFORMATION

Specifications

Operating range	30 IN-Hg > 20 PSI (depending on gauge model)		
Operating voltage	8v > 18v		
Gauge lighting type	LED (NON DIMMABLE)		
Gauge lighting colour	white		
Mounting depth required for gauge	65mm (minimum)		
Total depth of gauge	70mm (including bezel)		
Mounting hole size	52mm		

Troubleshooting:

Please note: If you are having problems with the installation of this product, please do not contact your retailer or SAAS until you have read **ALL** the troubleshooting notes below.

Problem	Possible Cause	Solution	
-gauge not reading	-wrong boost/vacuum location	-boost/vacuum line must come from intake manifold before any OEM sensors	
	-gauge has been dropped	-replace gauge	
-gauge rattles under	-diesel engine vibration	-restrict air flow to gauge with inline filter	
load		Saas part no. SGA1005	
-no back lighting	-incorrect wiring	-refer to fitting instructions	
	-connected to a dimmer	-refer to fitting instructions	
-needle sticks or	-new gauge	-new gauges may stick but will free up	
moves in stages		over time	
-needle not sitting on	-atmospheric pressure	-no fault if needle is off by a small margin	
(0)	-damaged gauge	-replace gauge	

Contents:

In The Box	Qty	Notes	Part No.
Boost/Vacuum gauge			
Clear tube, plastic tee	1	Clear tube 2mt / plastic tee 4mm x 3	SG21007
Wiring connector			SG2110
Mounting U bracket			SG21005
Mounting U bracket studs (M4x0.7 thread)			
Mounting U bracket nuts			
Fitting instructions	1		

For further assistance email: tech@saasautomotive.com.au

Warranty Terms & Conditions:

SAAS Automotive Pty Ltd warrants this product against defects in factory workmanship and materials for a period of twelve (**12**) months from the date of original purchase. This warranty applies to the first retail purchaser, is non-transferable and covers only where the product has been subjected to normal use or service. Provision of this warranty shall not apply to any SAAS Automotive product that has been used for a purpose for which it is not designed, or which has been altered in any way that would be detrimental to the performance or life of the product, or misapplication, misuse, negligence or accident. Warranty claims to the manufacturer must be transportation prepaid and accompanied with dated proof of purchase. On any part or product found to be defective after examination by SAAS Automotive Pty Ltd, SAAS Automotive Pty Ltd will only repair or replace the merchandise through the original selling dealer or on a direct basis. SAAS Automotive Pty Ltd assumes no responsibility for diagnosis, removal and/or installation labour, loss of vehicle use, loss of time, inconvenience or any other consequential expenses. The warranties herein are in lieu of any other expressed or implied warranties, including any implied warranty of suitability, and any other obligation on the part of SAAS Automotive Pty Ltd, or the selling dealer.

For further assistance email: tech@saasautomotive.com.au

www.shopsaas.com



SAAS Automotive PTY LTD 25 Metrolink Circuit West, Campbellfield, Victoria 3061 Australia

> ABN: 48166279670 ACN: 166279670

Phone: +61 3 9930 0100 Fax: +61 3 8339 2270 Email: tech@saasautomotive.com.au Web: www.shopsaas.com